



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/756,787	01/12/2004	Steven Dewayne Wriggle	26820/04	2943
7590 04/04/2006 GILBRETH & ASSOCIATES, P.C. P.O. BOX 2428 BELLAIRE, TX 77402-2428			EXAMINER AGARWAL, MANUJ	
			ART UNIT 3764	PAPER NUMBER
DATE MAILED: 04/04/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/756,787	Applicant(s) WRIGGLE, STEVEN DEWAYNE	
	Examiner Manuj Agarwal	Art Unit 3764	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 January 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>1-12-04</u> | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

Claims 6,7 are objected to because of the following informalities: "Magnitude A" was defined to be a user selected amplitude. By claiming a "fraction of A" renders the claim unclear, for "A" has not been defined. Appropriate correction is required.

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-8 are rejected under 35 U.S.C. 102(b) as being anticipated by Bloodworth (US 6,329,638).

Regarding claims 1,5, Bloodworth discloses a therapeutic vibrator system comprising of vibrator 18,20,22,24 which can be arranged into a first and second set, adapted for providing vibrations to a mammalian body, and a controller 14 in communication with both sets to provide different sets of instructions. The controller has separate vibration controls 30 (see fig. 1) for each of vibrator 18, 20, 22, and 24 plus two additional sets of controls 30 for addition items (col. 3 lines 49-53).

Regarding claims 2,4 controller 14 controls power flow between the DC power supply source 16 and the first and second sets of vibrators 18,20,22 and 24. The variation in power supplied to said vibrators will vary their amplitude of vibration.

Regarding claim 3, since the sets of vibrators are independently controlled by controller 14, it is inherent that there must be separate physical connections between the two structures. Therefore, in order to operate a particular vibrator set, a signal must be send through a first or second zone comprising communication ports. Furthermore,

Art Unit: 3764

because of separate vibration controls 30 for each set of vibrators, the device is capable of sending a different set of instructions to each set.

Regarding claims 6-8 the vibration control 30 on controller 14 is capable of being adjusted to a user selected amplitude of magnitude A. Furthermore, the sliding of control 30 enables the generation of output instructions to initially operate the vibrator at an amplitude that is a fraction of magnitude A prior to generating output instructions to operate at the desired amplitude A.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Manuj Agarwal whose telephone number is (571) 272-4368. The examiner can normally be reached on Mon to Fri 9:00 AM 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory L. Huson can be reached on (571)272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Application/Control Number: 10/756,787
Art Unit: 3764

Page 4



Manuj Agarwal
Patent Examiner

MA



GREGORY L. HUSON
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700